



GLOBAL STATCLEAN SYSTEMS

Kh 375 H Block Gali no 05 Kushak Road Near Bharat Medical Swaroop Nagar Delhi 110042

Email id : Globalstatcleansystems@gmail.com , Ph 8800696493,8285517039

GSTIN: 07ASDPG4151H1Z1 IEC ASDPG4151H MSME UDYAM-DL-06-0014557

Static Discharge Palm Plate – GSS303P



About :- The Grounding PALMPLATE is a convenient and quick solution for ensuring that there is no charge on the Human Body before entering any ESD safe area.

Material: -

It a Conductive Epoxy Plate with a Conductive layer and on the Right Corner of plate a Button has been fixed, it comes with Button to Clip Grounding Cord.

How to Use: -

- Step 1. Mount This Palm Plate Just Out of your ESD Safe Area with help of screws
- Step 2. Take the Grounding Cord from clip side and connect it the Grounding/Earthing Point
- Step 3. Take the Grounding cord From Button side and put & Press it on the Button on Plate to connect
- Step 4. All Done! Now Before Entering in ESD safe area just Place your Palm on the Plate 3 Seconds and it will remove all static charge from your Body

Application:

Used in EPA (ESD protected area), Paint manufacturing Industries, gas station unloading port, self-service gas station, automatic tanker, oil depot, warehouse, factory, workshop

Entrance, railway oil platforms, tank escalators and tank entrances, the pump room, etc.

Specifications:-

Package Contain	:	One Palm Plate & One Grounding Cord
Plate Material	:	Conductive Epoxy Plate with Conductive layer & SS Button on Plate
Plate Finish Type	:	Brushed effect
Plate Dimensions	:	Overall – 30 x 20 CM, Touch Surface 19 x 14 CM
Cord Type & length	:	Button to Clip (B2C) Grounding Cord, 1.5 Meter Length
Resistance in Cord	:	1 M Ohm
Weight	:	220 grams (Plate + Cord)
Decay Time	:	< 2 seconds
Make/Model	:	Global SS, Model GSS303P